

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/591,494	09/01/2006	Tsutomu Yamaguchi	056272.58171US	1869	
CROWELL &	7590 08/18/200 MORING LLP	9	EXAM	MINER	
INTELLECTUAL PROPERTY GROUP			QIN, JIANCHUN		
P.O. BOX 143 WASHINGTO	00 N, DC 20044-4300		ART UNIT	ART UNIT PAPER NUMBER	
	,		2832		
			MAIL DATE	DELIVERY MODE	
			08/18/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 10/501 404 VAMAGUCHI TSUTOMU

00" 4 " 0	10/391,494	TAWAGOCIII, 131	3 TOWIO				
Office Action Summary	Examiner	Art Unit					
	JIANCHUN QIN	2832					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ - Extensions of time may be available under the provisions of 37 CFR 1.1 after SSI, (6) MONTHS from the mailing date of the communication If NO period for reply is specified above, the maximum statutory period Failiure to reply within the set or extended period for reply with type statute. Any reply received by the Office later than three months after the mailing aemed patent term adjustment. See 37 CFR 1.70(4b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a repty be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this or D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 23 Ap	nril 2009						
	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) ☑ Claim(s) 1-4 is/are pending in the application.  4a) Of the above claim(s) is/are withdrav  5) ☐ Claim(s) is/are allowed.  6) ☑ Claim(s) 1-4 is/are rejected.  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or							
Application Papers							
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b)  objected to by the I drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CF					
Priority under 35 U.S.C. § 119							
12) ☒ Acknowledgment is made of a claim for foreign a) ☒ All by ☐ some * cy ☐ None of:  1.☒ Certified copies of the priority document: 2.☐ Certified copies of the priority documents: 3.☐ Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National	Stage				
Attachment(s)							
Notice of References Cited (PTO-892)     Notice of Draftsperson's Patent Drawing Review (PTO-948)	Interview Summary     Paper No(s)/Mail Da						

3) Information Disclosure Statement(s) (FTO/S5/08)
Paper No(s)/Mail Date \_\_\_\_\_\_ 5) Notice of Informal Patent Application
6) Other: \_\_\_\_\_

Art Unit: 2832

### DETAILED ACTION

## Claim Rejections - 35 USC § 103

 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title. (If the differences between the subject matter sought to be patented and the prior at are such that the subject that as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

 Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa et al. (U.S. Pat. No. 5559297) in view of Oshima (JP 62158757 A) and Ogasa (U.S. Pat. No. 4394457).

Regarding claim 1, Yoshikawa et al. disclose a key (Fig. 1) for a keyboard-based musical instrument (Abstract; col. 1, lines 8-11) characterized by comprising: a key body (11); and a key touch member (12) disposed on the top of said key body (Figs. 1 and 2), made of a water-absorbing material, and for touching the key (col. 2, lines 9-21).

Yoshikawa et al. do not mention expressly: said water-absorbing material is a first synthetic resin having a hydrophilic polymer added thereto; wherein the hydrophilic polymer has a hydrophilic group in a main chain or a side chain thereof, and is substantially uniformly dispersed in a base within said key touch member and unevenly distributed in an area near a surface of said key touch member.

Oshima discloses a key for a keyboard-based musical instrument including a key touch member, wherein the key touch member is made of a synthetic resin having a hydrophilic polymer added thereto (Abstract), and wherein the hydrophilic polymer is

Art Unit: 2832

substantially uniformly dispersed in a base within said key touch member and unevenly distributed in an area near the key top surface of the key touch member (by inherency, Oshima's hydrophilic polymer is blended into the synthetic resin, therefore, is randomly but uniformly dispersed into the synthetic resin, resulting in said hydrophilic polymer randomly and unevenly distributed in any area of the key touch member including the area near the key top surface of the key touch member).

Since both Yoshikawa and Oshima pertain to structure of keyboard, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Yoshikawa et al. to include a key top member made of a synthetic resin having a hydrophilic polymer added thereto, as taught by Oshima, in order to obtain a key top surface having water-absorbing properties and being good to the touch (Oshima, Abstract) which can serve as a top, playing surface of the Key, while the body of the key can be made of other material separately on the basis of its suitability and cost-effectiveness (Yoshikawa et al., col. 1, lines 28-31; col. 2, lines 9-21 and lines 36-39).

Ogasa teaches a water-absorbing composite material including a body formed of a hydrophobic polymer and a layer of a hydrophilic polymer provided over at least a portion of the interior surface of the body (Abstract); wherein said hydrophilic polymer has a hydrophilic group in a main chain or a side chain thereof (col. 1, lines 65-68).

In view of the teaching of Ogasa, one having ordinary skill in the art at the time the invention was made would be able to select a hydrophilic polymer, which has a hydrophilic group in a main chain or a side chain thereof, to be applied to the

Art Unit: 2832

combination of Yoshikawa and Oshima, since it has been held to be within the general skill of worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. *In re Leshin*, 125 USPQ 416.

Regarding claim 2, Yoshikawa et al. do not mention expressly: said first synthetic resin is one of an acrylonitrile butadyenne styrene resin, an acrylonitrile-styrene resin, and an acrylic resin.

Yoshikawa et al. disclose: said key body is made of an acrylonitrile butadyenne styrene (ABS) resin (col. 2, lines 9-21).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the combination of Yoshikawa et al. and Oshima to use ABS resin as the first synthetic resin such that production of the key touch member can be efficiently conducted (Oshima, Abstract).

Regarding claim 3, Yoshikawa et al. disclose: said key body is made of ABS resin without the hydrophilic polymer added thereto, and said key touch member is adhered to said key body (Figs. 1-2; col. 2, lines 9-21).

Regarding claim 4, Yoshikawa et al. do not mention expressly: said key body is made of one of said first synthetic resin having the hydrophilic polymer added thereto and a second synthetic resin without the hydrophilic polymer added thereto, and is integrally molded with said key touch member.

Oshima discloses: a key body is made of a first synthetic resin having the hydrophilic polymer added thereto, and is integrally molded with a key touch member (Abstract).

Art Unit: 2832

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Yoshikawa et al. to make a key, having a key touch member integrally molded with the key body, made of a first synthetic resin having a hydrophilic polymer added thereto, as taught by Oshima, such that the key not only has water-absorbing properties but also is good to the touch, and further, production can be efficiently conducted (Oshima, Abstract).

# Response to Arguments

 Applicant's arguments filed 04/23/09 with respect to claims 1-4 have been considered but they are not persuasive.

Applicant argues that ".... this more-particularly claimed uniform dispersal in the base, where there is uneven distribution in an area near the surface, cannot be argued to be inherent since the inherency requires random or uneven distribution in any area of the key touch member, ...." The argument is not persuasive. The Examiner's position is that, giving the claims the broadest reasonable interpretation, the combination of the prior art of record does disclose or teach or suggest the limitation "the hydrophilic polymer has a hydrophilic group in a main chain or a side chain thereof, and is substantially uniformly dispersed in a base within said key touch member and unevenly distributed in an area near a surface of said key touch member." The examiner considers that Yoshikawa discloses a key having a key touch member, made of a water-absorbing material, disposed on the top of the key body. Yoshikawa is not clear that said water-absorbing material is a first synthetic resin having a hydrophilic polymer

Art Unit: 2832

added thereto; and wherein the hydrophilic polymer has a hydrophilic group in a main chain or a side chain thereof, and is substantially uniformly dispersed in a base within said key touch member and unevenly distributed in an area near a surface of said key touch member. However, the combination of Yoshikawa with Oshima's teaching of a keyboard material which has water-absorbing properties reads on the claim. Since both Yoshikawa and Oshima pertain to structure of keyboard, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Yoshikawa et al. with including a key top member made of a synthetic resin having a hydrophilic polymer added thereto, as taught by Oshima, in order to obtain a key top surface having water-absorbing properties and being good to the touch (Oshima, Abstract). The examiner asserts that, Oshima does disclose or teach or suggest the feature argued by the Applicant: the hydrophilic polymer is substantially uniformly dispersed in a base within said key touch member and unevenly distributed in an area near a surface of said key touch member. The examiner's reason for his assertion is that Oshima's hydrophilic polymer is blended into the synthetic resin, therefore, is randomly but uniformly dispersed into the synthetic resin, resulting in said hydrophilic polymer randomly/unevenly distributed in any area of the key touch member including the area near the key top surface of the key touch member. A uniformly distributed random permutation of a set of particles is well known in the art. The rejection is therefore maintained.

### Contact Information

Art Unit: 2832

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jianchun Qin whose telephone number is (571) 272-5981. The examiner can normally be reached on 8am - 5:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on (571) 272-1990.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JIANCHUN QIN/ Examiner, Art Unit 2832